Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Wood Protector

Article number: 4006 clear

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Priming

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

Additional information: EUH210 Safety data sheet available on request.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 1)

30-60%

Asp. Tox. 1, H304, EUH066

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

EC number: 918-481-9 aliphatic hydrocarbons, C10-C13

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: Rinse mouth.

Do NOT induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed Dizziness Headache

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

CO2, powder or water spray. Fight larger fires with water spray or alcohol agents:

resistant foam.

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or

mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment: General measures for chemical fires.

(Contd. on page 3)

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 2)

Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental

precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other

sections No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and

explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

(Contd. on page 4)



Revision: 14.02.2022

Printing date 14.02.2022 Version number 16.1 (replaces version 15.0)

Trade name: Wood Protector

(Contd. of page 3)

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class:

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m³

CEFIC-HSPA

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Appropriate engineering

controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin. Store protective clothing separately. Do not inhale gases / fumes / aerosols.

Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Hand protection To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

> also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

(Contd. on page 5)

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 4)

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture the penetration time has to be at least 480 minutes

(Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable:Nitrile rubber, NBREye/face protectionTightly sealed gogglesBody protection:Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:ColourlessOdour:Mild

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range > 180 °C

Lower and upper explosion limit

 Lower:
 0.6 Vol %

 Upper:
 7.0 Vol %

Flash point: > 61 (> 144 °F) °C (DIN EN ISO 2719)

Auto-ignition temperature: Product is not selfigniting.

pH Not applicable.

Viscosity:

Kinematic viscosity at 20 °C 25 - 35 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

Dynamic: Not determined.

Solubility

water: Not miscible or difficult to mix.

Density and/or relative density

Density at 20 °C: 0.8 - 0.9 g/cm³ (DIN 51757)

(Contd. on page 6)



Revision: 14.02.2022

Printing date 14.02.2022

Version number 16.1 (replaces version 15.0)

Trade name: Wood Protector

(Contd. of page 5)

9.2 Other information

Appearance:

Form: Viscous

Important information on protection of health and

environment, and on safety.

Ignition temperature: 240 (464 °F) °C

Explosive properties: Product does not present an explosion hazard.

Solvent content:

VOC (EC) < 750 g/l (VOC-max. = 750 g/l (2010 A/h))

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

(Contd. on page 7)



Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 6)

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /
conditions to be avoided:

be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 *Incompatible materials:* No further relevant information available.

10.6 Hazardous

decomposition products: Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

(Contd. on page 8)



Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 7)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

I D/I C50 v	aluac re	Jovant fo	ralacci	fication:
1 1 J/I GOU V	annes re	uevanii io	i ciassi	ncanon

aliphatic hydrocarbons, C10-C13

Oral	LD50	>5,000 mg/kg (rat)
Dermal		>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

aliphatic hydrocarbons, C10-C13

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h |>1,000 mg/l (algae) LC50 / 96h >1,000 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available.

(Contd. on page 9)



Revision: 14.02.2022

Printing date 14.02.2022 Version number 16.1 (replaces version 15.0)

Trade name: Wood Protector

(Contd. of page 8)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessmentPBT: Not applicable.vPvB: Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Europea	n waste catalogue
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
15 01 04	metallic nackaging

Uncleaned packaging:

0=0=10N 44 =

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

SECTION 14: I	ransport information	on
---------------	----------------------	----

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Not applicable	
44.0 UN	···	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Not applicable	
14.4 Packing group		
ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards:		
Marine pollutant:	No	
		(Contd. on page

(Contd. on page 10)



Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 9)

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

GISBAU-Code GISCODE: M-GF02

VOC (EC) < 750 g/l (VOC-max. = 750 g/l (2010 A/h))

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Reach Annex II (2021)

Relevant phrases H304 May be fatal if swallowed and enters airways.

(Contd. on page 11)



Printing date 14.02.2022 Version number 16.1 (replaces version 15.0) Revision: 14.02.2022

Trade name: Wood Protector

(Contd. of page 10)

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 15.0

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS : European chemical Substances Information System

ECHA Portal

Safety data sheets from raw material suppliers

* Data compared to the

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)

ΕU